

# ДАР МЕТАЛЛ

9 сентября 2025 г №1

e-mail: info@darmetall.kz 8 (700)7150502 -- 8(701)765-35-62 тел. 251-65-39/38/34 пр.Рыскулова 73-А

| Наименование                                                        | Вес 1м.   | Длина   | Цена за 1п.м. | Цена за тн.   |
|---------------------------------------------------------------------|-----------|---------|---------------|---------------|
| <b>Сталь Арматурная АIII гост5781-82</b>                            |           |         |               |               |
| ф8                                                                  | 0.45      | 6.05    | 164           | 365000        |
| ф10                                                                 | 0.637     | 12      | 226           | 355000        |
| ф12                                                                 | 0.91      | 11.7    | 314           | 345000        |
| ф14                                                                 | 1.25      | 12      | 424           | 339000        |
| ф16                                                                 | 1.66      | 11.7    | 563           | 339000        |
| ф18                                                                 | 2.05      | 11.7    | 695           | 339000        |
| ф20                                                                 | 2.55      | 12      | 864           | 339000        |
| ф22                                                                 | 3.1       | 12      | 1051          | 339000        |
| ф25                                                                 | 3.93      | 12      | 1332          | 339000        |
| ф28                                                                 | 4.92      | 11.7    | 1668          | 339000        |
| ф32                                                                 | 6.41      | 12      | 2173          | 339000        |
| <b>Балка Двутавровая ГостСТО АСЧМ20-93. 26020-83. 8239-89</b>       |           |         |               |               |
| 12 Б1                                                               | 8.8       | 12      | 6996          | 795000        |
| 14 Б1                                                               | 10.7      | 12      | 8293          | 775000        |
| 16 Б1                                                               | 13        | 12      | 10075         | 775000        |
| 18Б1                                                                | 15.8      | 12      | 12751         | 807000        |
| 20 Б1                                                               | 21.85     | 12      | 13438,,       | 615000        |
| 25 Б1                                                               | 25.8      | 12      | 15093         | 585000        |
| 30 Б1                                                               | 32.1      | 12      | 18779         | 585000        |
| 35 Б1                                                               | 42        | 12      | 24150         | 575000        |
| <b>Проволока стальная вязальная ОК гост 3282-74 марка стали 0-3</b> |           |         |               |               |
| вяз.оц.1,2                                                          | бухт.     | 0.025   | 11950         | 478000        |
| вяз.оц.2,8                                                          | бухт.     | 0.05    | 21400         | 428000        |
| окф 1,2чер                                                          | бухт.     | 0.025   | 10950,,       | 438000        |
| <b>Полоса стальная</b>                                              |           |         |               |               |
| 40х4р                                                               | 1.3       | 6       | 618*          | 475000        |
| 40*4 /30*4кр                                                        | 1,3/1     | 6       | 618/475,,     | 475000        |
| <b>Катанка гост 30136-94</b>                                        |           |         |               |               |
| ф6,5 бух/тян                                                        | 0.28      | 6       | 99            | 335000/355000 |
| ф8,0 бух /тян                                                       | 0.41      | 6       | 146           | 335000/355000 |
| <b>Круг г/к Гост 2590-88</b>                                        |           |         |               |               |
| ф10                                                                 | 0.63      | 12      | 230           | 365000        |
| ф12                                                                 | 0.91      | 12      | 323           | 355000        |
| ф14                                                                 | 1.22      | 12      | 426           | 349000        |
| ф16                                                                 | 1.6       | 12      | 558           | 349000        |
| ф18                                                                 | 2         | 12      | 698           | 349000        |
| ф20                                                                 | 2.5       | 11,75,, | 873           | 349000        |
| ф22                                                                 | 3         | 12      | 1047          | 349000        |
| ф25                                                                 | 4         | 12      | 1396          | 349000        |
| ф28                                                                 | 4.91      | 12      | 1714          | 349000        |
| ф30                                                                 | 5.7       | 12      | 2081          | 365000        |
| ф32                                                                 | 6.35      | 12      | 2318          | 365000        |
| ф36                                                                 | 8.2       | 12      | 2993          | 365000        |
| ф40                                                                 | 10.1      | 12      | 3687          | 365000        |
| ф42                                                                 | 11.25     | 12      | 4635          | 412000        |
| <b>УГОЛОК ПРОКАТНЫЙ РАВНОПОЛОЧНЫЙ ГОСТ 8509-93</b>                  |           |         |               |               |
| 25х25х3                                                             | 1.18      | 6       | 480           | 407000        |
| 32х32/3                                                             | 1.6       | 6       | 651*          | 407000        |
| 40х4                                                                | 2.42      | 12,,    | 1004          | 415000        |
| 45х4                                                                | 2.78      | 12      | 1048          | 377000        |
| 50х4                                                                | 3.05      | 12      | 1150          | 377000        |
| 50х5                                                                | 3.82      | 12      | 1440          | 377000        |
| 63х5                                                                | 4.9       | 12      | 1847          | 377000        |
| 75х75х5/6                                                           | 5,85/6,83 | 12      | 2205/2575,,   | 377000        |
| 90х6                                                                | 8.33      | 12      | 3224          | 387000        |
| 100х100*7                                                           | 10.7      | 12      | 4034          | 377000        |
| <b>Квадрат г/к Гост 2591-88, 8559-75.</b>                           |           |         |               |               |
| 10                                                                  | 0.79      | 6       | 359           | 455000        |
| 12                                                                  | 1.2       | 6       | 534           | 445000        |
| 14                                                                  | 1.53      | 6       | 681           | 445000        |
| 16                                                                  | 2.07      | 6       | 921           | 445000        |
| 20                                                                  | 3.15      | 6       | 1402          | 445000        |
| <b>Швеллер стальной гост 8240-97, 535-88</b>                        |           |         |               |               |
| 6.5                                                                 | 6         | 12      | 2730          | 455000        |
| 8                                                                   | 7.25      | 12      | 2936          | 405,000       |
| 10                                                                  | 8.8       | 12      | 3564          | 405000        |
| 12                                                                  | 10.93     | 12      | 4733          | 433000        |
| 14                                                                  | 12.8      | 12      | 5542          | 433000        |
| 16                                                                  | 14.8      | 12      | 6408          | 433000        |

|                                                                    |                |          |                 |               |
|--------------------------------------------------------------------|----------------|----------|-----------------|---------------|
| 18                                                                 | 16.8           | 12       | 7375            | 439000        |
| 20                                                                 | 19.1           | 12.05    | 12587           | 659000        |
| 22                                                                 | 21.5           | 12       | 14169           | 659000        |
| 24                                                                 | 25.5           | 12       | 16805           | 659000        |
| 27/30                                                              | 28,85/33       | 12       | 20743/23727,,   | 719000        |
| <b>Трубы квадратные - профильные ТУ-СТ 49966-1910-ТОО -01-2006</b> |                |          |                 |               |
| 15*15/1,5                                                          | 0.65           | 6        | 318             | 489000        |
| 20*20/1,5/2                                                        | 0,9/1,15       | 6        | 431/516,        | 479000/449000 |
| 25*25/1,5                                                          | 1.15           | 6        | 539             | 469000        |
| 30*30/1,5/2                                                        | 1,43/1,8       | 6        | 671/808,,       | 469000/449000 |
| 40*20/1,5                                                          | 1.43           | 6        | 679,,           | 475000        |
| 40*20/2,0                                                          | 1.85           | 6        | 834             | 451000        |
| 40*25/1,5/2                                                        | 1,5/1,973      | 6        | 704/886,,       | 469000/449000 |
| 40*40/1,5                                                          | 1.88           | 6        | 882             | 469000        |
| 40*40/2/3                                                          | 2,54/3,37      | 6,,/12,, | 1140/1479,,     | 449000/439000 |
| 40*40/2,8                                                          | 3.2            | 6,,      | 1405            | 439000        |
| 50*25/1,5                                                          | 1.8            | 6        | 844             | 469000        |
| 50*25/2                                                            | 2.33           | 6        | 1046,,          | 449000        |
| 50*50/1,5                                                          | 2.5            | 6        | 1173            | 469000        |
| 50*50/2                                                            | 3.1            | 6        | 1392,,          | 449000        |
| 50*50/2,8 / 3,0                                                    | 4,22/4,32      | 6,,      | 1853/1896,,     | 439000        |
| 60*30/1,8/2                                                        | 2,5/2,83       | 6        | 1218/1271*      | 487000/449000 |
| 60*40/2,0                                                          | 3.2            | 6        | 1437,,          | 449000        |
| 60*40/2,8/3,0                                                      | 4,22/4,44/4,31 | 6/6,12,, | 1853/1949/1892* | 439000        |
| 60*40/1,5                                                          | 2.4            | 6        | 1126            | 469000        |
| 60*60/1,5                                                          | 2.9            | 6        | 1360            | 469000        |
| 60*60/2,0                                                          | 3.8            | 6        | 1706,,          | 449000        |
| 60*60/2,8/3,0                                                      | 5,2/5,25       | 6/12     | 2283/2305*      | 439000        |
| 80*40/2,0                                                          | 3.84           | 6        | 1725            | 449000        |
| 80*40/2,8/3,0                                                      | 5,2/5,3        | 6/12     | 2283/2327*      | 439000        |
| 80*80/2,0                                                          | 5.23           | 12,      | 2380,,          | 455000        |
| 80*80/2,8                                                          | 7              | 6        | 3073*           | 439000        |
| 80*80/3,0/4,0                                                      | 7,13/9,33      | 12       | 3130/4,096*     | 439000        |
| 100*50/2,0                                                         | 4.8            | 6        | 2155            | 449000        |
| 100*50/2,8/3                                                       | 6,5/6,67       | 6/12     | 2854/2928*      | 439000        |
| 100*100/2,0                                                        | 6.5            | 6        | 2919*           | 449000        |
| 100*100/2,8/3,0теор                                                | 8,8/9,02       | 6/12,,   | 3863/3960*      | 439000        |
| 100*100/4                                                          | 11.84          | 12       | 5198            | 439000        |
| 120*80*4                                                           | 11.84          | 12       | 5198            | 439000        |
| 120*120/3,0/4                                                      | 10,94/14,65    | 12       | 4803/6,431*     | 439000        |
| 140*140*4                                                          | 16.81          | 12       | 7548            | 449000        |
| 160*160/4                                                          | 19.34          | 12       | 8684            | 449000        |
| 200*200/8                                                          | 46.67          | 12       | 22169           | 475000        |
| <b>Трубы водогазопроводные ВГП ГОСТ-3262-75</b>                    |                |          |                 |               |
| 15/2,5                                                             | 1.26           | 5.8      | 493             | 391000        |
| 20/2,5                                                             | 1.6            | 5,8/6    | 626             | 391000        |
| 25/2,8                                                             | 2.26           | 6        | 870             | 385000        |
| 32/2,8                                                             | 2.9            | 6,0,     | 1117            | 385000        |
| 40/3                                                               | 3.45           | 10       | 1328            | 385000        |
| 50/3                                                               | 4.73           | 10       | 1831*           | 385000        |
| 65/3,2                                                             | 6              | 10       | 2322*           | 385000        |
| 80/3,5                                                             | 7.57           | 10,,     | 2930*           | 385000        |
| <b>ТРУБЫ электросварные Э/С гост 10704-91, 10705-80, 20295-85</b>  |                |          |                 |               |
| 15/2,8                                                             | 1.3            | 6        | 594             | 457000        |
| 20/2,8                                                             | 1.67           | 6        | 763             | 457000        |
| 25/3,2                                                             | 2.49           | 6        | 1113            | 447000        |
| 32/3,2                                                             | 3.12           | 6        | 1395            | 447000        |
| 40/3,5                                                             | 3.96           | 12       | 1770,,          | 447000        |
| 57/3/3,5                                                           | 4,02/4,67      | 12       | 1756/2087,,     | 437000/447000 |
| 76/3/3,5                                                           | 5,42/6,34      | 12       | 2,423/2834,,    | 447000        |
| 89/3/3,5                                                           | 6,4/7,5        | 12       | 2861/3,353,,    | 447000        |
| 102/3,5                                                            | 8.54           | 12       | 3,817,,         | 447000        |
| 108/3,5                                                            | 9.1            | 12       | 4068            | 447000        |
| 108/4                                                              | 10.47          | 12       | 4680            | 447000        |
| 114/3,5/4                                                          | 9,56/10,92     | 12       | 4,273/4881,,    | 447000        |
| 127/4                                                              | 12.25          | 12       | 5476*           | 447000        |
| 133 /4                                                             | 12.9           | 12       | 5766            | 447000        |
| 159/4                                                              | 15.41          | 12       | 6888            | 447000        |
| 219/6                                                              | 31.53          | 11.75    | 14977           | 475000        |
| 219/5                                                              | 26.45          | 11.75    | 12299           | 465000        |
| 273/6                                                              | 39.52          | 12       | 19246           | 487000        |
| 325/6                                                              | 47.21          | 12       | 22991           | 487000        |
| <b>ПРОФНАСТИЛ</b>                                                  |                |          |                 |               |
| Н21*0,5                                                            | 10             | 1*2      | 5350            | 535000        |
| Н21*0,5                                                            | 30             | 1*6      | 16050           | 535000        |
| <b>Лист холоднокатанный стальной гост 19904-90</b>                 |                |          |                 |               |
| 0,5 оцин                                                           | 13             | 1,25*2,5 | 6955            | 535000        |
| 1                                                                  | 16.3           | 1*2      | 7482,,          | 455000        |
| 1                                                                  | 24.5           | 1,25*2,5 | 11148           | 455000        |
| 1.2                                                                | 19.11          | 1*2      | 8695            | 455000        |
| 1.2                                                                | 29.5           | 1,25*2,5 | 13423           | 455000        |

|                                                                                |                   |              |                         |        |
|--------------------------------------------------------------------------------|-------------------|--------------|-------------------------|--------|
| 1.5                                                                            | 24                | 1*2          | 10920                   | 455000 |
| 1.5                                                                            | 37                | 1,25*2,5     | 16835                   | 455000 |
| 2                                                                              | 32                | 1*2          | 14560                   | 455000 |
| 2                                                                              | 49.5              | 1,25*2,5     | 22523                   | 455000 |
| <b>ЛИСТ горячекатанной стальной ГОСТ 19903-74, 16523-97, 14637-89, 380-95.</b> |                   |              |                         |        |
| 2                                                                              | 51                | 1,25*2,5     | 19635                   | 385000 |
| 2                                                                              | 32.5              | 1*2          | 12513                   | 385000 |
| Зриф                                                                           | 79                | 1,25*2,5     | 31205                   | 395000 |
| 4риф                                                                           | 290               | 1,5*6,0      | 111650*                 | 385000 |
| 3                                                                              | 49 / 77           | 1*2/1,25*2,5 | 18473/29029,,           | 377000 |
| 3                                                                              | 218               | 1,5*6,0      | 83930*                  | 385000 |
| 4                                                                              | 290               | 1,5*6,0      | 105850                  | 365000 |
| 5                                                                              | 365               | 1,5*6,0      | 133225                  | 365000 |
| 6                                                                              | 429               | 1,5*6,0      | 156585                  | 365000 |
| 8                                                                              | 585               | 1,5*6,0      | 213525                  | 365000 |
| 10                                                                             | 721               | 1,5*6,0      | 263165                  | 365000 |
| 12                                                                             | 870               | 1,5*6,0      | 317550                  | 365000 |
| 14                                                                             | 1000              | 1,5*6,0      | 375000                  | 375000 |
| 16                                                                             | 1137              | 1,5*6,0      | 426375                  | 375000 |
| 18/20                                                                          | 1300/1433         | 1,5*6,0      | 500500/551705*          | 385000 |
| 25/30/40                                                                       | 1,785/2,142/2,855 | 1,5*6,0      | 687225/824670/1,099175* | 385000 |
| <b>Сетка кладочная</b>                                                         |                   |              |                         |        |
| ВР-3(0,37*3)                                                                   | 0.81              | 10*350       | 336                     | 415000 |
| ВР-3 (1*3)                                                                     | 2.9               | 100*100      | 1204                    | 415000 |
| ВР-3(1*3)                                                                      | 2.1               | 150*150      | 872                     | 415000 |
| ВР-4(1х3)                                                                      | 5.1               | 100*100      | 2066                    | 405000 |
| ВР-4(1х3)(2х3)                                                                 | 3,7/7,8           | 150*150      | 1499/3159,,             | 405000 |
| ВР-5(1х3)(2х3)                                                                 | 7,3,/16           | 100*100      | 2,957/6480,,            | 405000 |
| ВР-5(1х3)(2х3)                                                                 | 5,7/11,8          | 150*150      | 2309/4779,,             | 405000 |
| ПР ВР Ф 3                                                                      | 1,150..           |              | 408250                  | 355000 |
| ПР ВР Ф 4/5                                                                    | 1,150..           |              | 396750                  | 345000 |
| <b>ЭЛЕКТРОДЫ МР-3 переменный ток КНР</b>                                       |                   |              |                         |        |
| 2 Тянь-Шань                                                                    |                   | 5 кг.        | 3075                    | 615000 |
| 3/4 Тянь-Шань                                                                  |                   | 5 кг.        | 2775                    | 555000 |